



福建常春专用车制造有限公司
FUJIAN CHANGCHUN AUTOMOBILE MANUFACTURE CO.,LTD







Fujian Changchun Automobile Manufacture Co.,Ltd was founded in 1989. It is located in Binhai industrial Zone of Fuzhou, on the southeast coast of China. The traffic is quite convenient that it is forty kilometers from Fuzhou Mawei port and thirteen kilometers from Fuqing Jiangyin port, which are both superior deepwater wharf, and it is only thirteen kilometers away from Fuzhou International Airport.

With a total investment of two hundred million RMB, the manufactory covering a total landscape of 100,000 square meters, and has advanced equipments and inspection instruments, including gantry CNC underwater plasma cutting machine, CNC gantry automatic submerged arc welding machines, large vehicle through the shot blasting machine, spray painting grilled integration room, twin-screw air compressor, large hydraulic machine, bending machine, shears, presses and so on. They are reached advance level in our country and absorbing the advance technique in the worldwide. We also have a team of mechanical engineer with CAD Drawing and advanced manufacturing process, developing all kinds of semi-trailer like Gooseneck style, Skeleton style, Low-bed style, Van style, Tank style, and cold insulation, hot insulation series carriage.

Driven by market and innovation, CHANGCHUN has developed own advanced technology for both production and management. Nowadays, our company has achieved a producing capacity of more than 30,000 units of vehicles per year, our quality system has passed the ISO9001 certificates and also has the China Compulsory Certification (3C). We have cooperated with Fujian Engineering Institute by setting up a center of special car researching and developing. We had supplied the military shelter for our Army.

With the spirit of Honesty, mutual benefits and win-win development , we hope to cooperate with all business partners to create glorious future on the solid trading base.

List



1. Skeleton/gooseneck semi-trailer

2. Flat bed semi-trailer

3. Van semi-trailer

4. Stake Semi-trailer

5. Semi-trailer with sidewalls

6. Tipper semi-trailer

7. Tank semi-trailer

8. Special shipping container





常春宇创

Fujian Changchun Automobile Manufacture Co.,Ltd

ADD: Binhai Industrial Zone, Fuzhou, Fujian, China

TEL: +86-591-28703888

FAX: +86-591-28703239

WEB: www.fjchangchun.com EMAIL: fjchangchunauto@gmail.com

Picture	Product Detail																																
 This product is a 3-axle Skeleton semi-trailer. It is available for one 40ft container or two 20ft containers. Main components: FuWa axle (Chinese brand) or BPW axle (German brand), JOST landing gear (American brand), JOST kingpin, Orient star valve (Chinese brand), WABCO ABS system (optional component). All of the parts can choose Chinese brand or famous brands from Germany, Japan, US or UK, just according to customer's requirement.	3-axle Skeleton semi-trailer for 40R container transport Main Specification: <table> <tr> <td>Model No.</td><td>FCC9370GJZ</td></tr> <tr> <td>External size(MM)</td><td>12450X2500X1420</td></tr> <tr> <td>Total weight(KG)</td><td>36980</td></tr> <tr> <td>Rated payload(KG)</td><td>30500</td></tr> <tr> <td>Tare weight (KG)</td><td>6480</td></tr> </table> Tyre and Axle Specification: <table> <tr> <td>Axle Number</td><td>3</td></tr> <tr> <td>Tyre Number</td><td>12</td></tr> <tr> <td>Tyre front/rear space</td><td>-/1840/1840/1840</td></tr> <tr> <td>Approach/Departure angle</td><td>-/16</td></tr> <tr> <td>Wheel base(MM)</td><td>7500+1310+1310</td></tr> <tr> <td>Axle Load (KG)</td><td>-/22140</td></tr> <tr> <td>Tyre Spec</td><td>11.00-20,11.00R20</td></tr> <tr> <td>Steel leaf spring number</td><td>-/8/8/8</td></tr> <tr> <td>Front/rear overhang</td><td>-/1730</td></tr> <tr> <td>Max king pin payloadKG</td><td>14840</td></tr> <tr> <td>VIN</td><td>LA99370GXXXFCCXXX</td></tr> </table>	Model No.	FCC9370GJZ	External size(MM)	12450X2500X1420	Total weight(KG)	36980	Rated payload(KG)	30500	Tare weight (KG)	6480	Axle Number	3	Tyre Number	12	Tyre front/rear space	-/1840/1840/1840	Approach/Departure angle	-/16	Wheel base(MM)	7500+1310+1310	Axle Load (KG)	-/22140	Tyre Spec	11.00-20,11.00R20	Steel leaf spring number	-/8/8/8	Front/rear overhang	-/1730	Max king pin payloadKG	14840	VIN	LA99370GXXXFCCXXX
Model No.	FCC9370GJZ																																
External size(MM)	12450X2500X1420																																
Total weight(KG)	36980																																
Rated payload(KG)	30500																																
Tare weight (KG)	6480																																
Axle Number	3																																
Tyre Number	12																																
Tyre front/rear space	-/1840/1840/1840																																
Approach/Departure angle	-/16																																
Wheel base(MM)	7500+1310+1310																																
Axle Load (KG)	-/22140																																
Tyre Spec	11.00-20,11.00R20																																
Steel leaf spring number	-/8/8/8																																
Front/rear overhang	-/1730																																
Max king pin payloadKG	14840																																
VIN	LA99370GXXXFCCXXX																																



常春宇创

Fujian Changchun Automobile Manufacture Co.,Ltd

ADD: Binhai Industrial Zone, Fuzhou, Fujian, China

TEL: +86-591-28703888

FAX: +86-591-28703239

WEB: www.fjchangchun.com EMAIL: fjchangchunauto@gmail.com

Picture	Product Detail																																
 This product is a 3-axle gooseneck semi-trailer. It is available for one 45ft/40ft container or two 20ft containers. Main components: FuWa axle (Chinese brand) or BPW axle (German brand), JOST landing gear (American brand), JOST kingpin, Orient star valve (Chinese brand), WABCO ABS system (optional component). All of the parts can choose Chinese brand or famous brands from Germany, Japan, US or UK, just according to customer's requirement.	3-axle gooseneck semi-trailer for 45R/40R container transport Main Specification: <table> <tr> <td>Model No.</td><td>FCC9371GJZ</td></tr> <tr> <td>External size(MM)</td><td>14030X2480X1725</td></tr> <tr> <td>Total weight(KG)</td><td>37200</td></tr> <tr> <td>Rated payload(KG)</td><td>30480</td></tr> <tr> <td>Tare weight (KG)</td><td>6720</td></tr> </table> Tyre and Axle Specification: <table> <tr> <td>Axle Number</td><td>3</td></tr> <tr> <td>Tyre Number</td><td>12</td></tr> <tr> <td>Tyre front/rear space</td><td>-/1840/1840/1840</td></tr> <tr> <td>Approach/Departure angle</td><td>-/14</td></tr> <tr> <td>Wheel base(MM)</td><td>8200+1310+1310</td></tr> <tr> <td>Axle Load (KG)</td><td>-/23060</td></tr> <tr> <td>Tyre Spec</td><td>11.00-20, 11.00R20 12.00-20,12.00R20</td></tr> <tr> <td>Steel leaf spring number</td><td>-/8/8/8</td></tr> <tr> <td>Front/rear overhang</td><td>-/2195</td></tr> <tr> <td>Max king pin payloadKG</td><td>14140</td></tr> <tr> <td>VIN</td><td>LA9937NGXXXFCCXXX</td></tr> </table>	Model No.	FCC9371GJZ	External size(MM)	14030X2480X1725	Total weight(KG)	37200	Rated payload(KG)	30480	Tare weight (KG)	6720	Axle Number	3	Tyre Number	12	Tyre front/rear space	-/1840/1840/1840	Approach/Departure angle	-/14	Wheel base(MM)	8200+1310+1310	Axle Load (KG)	-/23060	Tyre Spec	11.00-20, 11.00R20 12.00-20,12.00R20	Steel leaf spring number	-/8/8/8	Front/rear overhang	-/2195	Max king pin payloadKG	14140	VIN	LA9937NGXXXFCCXXX
Model No.	FCC9371GJZ																																
External size(MM)	14030X2480X1725																																
Total weight(KG)	37200																																
Rated payload(KG)	30480																																
Tare weight (KG)	6720																																
Axle Number	3																																
Tyre Number	12																																
Tyre front/rear space	-/1840/1840/1840																																
Approach/Departure angle	-/14																																
Wheel base(MM)	8200+1310+1310																																
Axle Load (KG)	-/23060																																
Tyre Spec	11.00-20, 11.00R20 12.00-20,12.00R20																																
Steel leaf spring number	-/8/8/8																																
Front/rear overhang	-/2195																																
Max king pin payloadKG	14140																																
VIN	LA9937NGXXXFCCXXX																																



常春宇创

Fujian Changchun Automobile Manufacture Co.,Ltd

ADD: Binhai Industrial Zone, Fuzhou, Fujian, China

TEL: +86-591-28703888 FAX: +86-591-28703239

WEB: www.fjchangchun.com EMAIL: fjchangchunauto@gmail.com

Picture	Product Detail																																
 This product is a 3-axle gooseneck semi-trailer. It is available for one 48ft/45ft/40ft container or two 20ft containers. Main components: FuWa axle (Chinese brand) or BPW axle (German brand), JOST landing gear (American brand), JOST kingpin, Orient star valve (Chinese brand), WABCO ABS system (optional component). All of the parts can choose Chinese brand or famous brands from Germany, Japan, US or UK, just according to customer's requirement.	3-axle gooseneck semi-trailer for 48R/45R/40R container transport Main Specification: <table> <tr> <td>Model No.</td><td>FCC9380TJZ</td></tr> <tr> <td>External size(MM)</td><td>14950X2480X1800</td></tr> <tr> <td>Total weight(KG)</td><td>38480</td></tr> <tr> <td>Rated payload(KG)</td><td>30480</td></tr> <tr> <td>Tare weight (KG)</td><td>8000</td></tr> </table> Tyre and Axle Specification: <table> <tr> <td>Axle Number</td><td>3</td></tr> <tr> <td>Tyre Number</td><td>12</td></tr> <tr> <td>Tyre front/rear space</td><td>-/1840/1840/1840</td></tr> <tr> <td>Approach/Departure angle</td><td>-/14</td></tr> <tr> <td>Wheel base(MM)</td><td>8690+1310+1310</td></tr> <tr> <td>Axle Load (KG)</td><td>-/23870</td></tr> <tr> <td>Tyre Spec</td><td>11.00-20, 11.00R20 12.00-20,12.00R20</td></tr> <tr> <td>Steel leaf spring number</td><td>-/8/8/8</td></tr> <tr> <td>Front/rear overhang</td><td>-/2640</td></tr> <tr> <td>Max king pin payloadKG</td><td>14610</td></tr> <tr> <td>VIN</td><td>LA99380GXXXFCCXXX</td></tr> </table>	Model No.	FCC9380TJZ	External size(MM)	14950X2480X1800	Total weight(KG)	38480	Rated payload(KG)	30480	Tare weight (KG)	8000	Axle Number	3	Tyre Number	12	Tyre front/rear space	-/1840/1840/1840	Approach/Departure angle	-/14	Wheel base(MM)	8690+1310+1310	Axle Load (KG)	-/23870	Tyre Spec	11.00-20, 11.00R20 12.00-20,12.00R20	Steel leaf spring number	-/8/8/8	Front/rear overhang	-/2640	Max king pin payloadKG	14610	VIN	LA99380GXXXFCCXXX
Model No.	FCC9380TJZ																																
External size(MM)	14950X2480X1800																																
Total weight(KG)	38480																																
Rated payload(KG)	30480																																
Tare weight (KG)	8000																																
Axle Number	3																																
Tyre Number	12																																
Tyre front/rear space	-/1840/1840/1840																																
Approach/Departure angle	-/14																																
Wheel base(MM)	8690+1310+1310																																
Axle Load (KG)	-/23870																																
Tyre Spec	11.00-20, 11.00R20 12.00-20,12.00R20																																
Steel leaf spring number	-/8/8/8																																
Front/rear overhang	-/2640																																
Max king pin payloadKG	14610																																
VIN	LA99380GXXXFCCXXX																																



常春宇创

Fujian Changchun Automobile Manufacture Co.,Ltd

ADD: Binhai Industrial Zone, Fuzhou, Fujian, China

TEL: +86-591-28703888

FAX: +86-591-28703239

WEB: www.fjchangchun.com EMAIL: fjchangchunauto@gmail.com

Picture	Product Detail																																
 This product is a 3-axle Skeleton semi-trailer. It is available for one 53ft/48ft/45ft/40ft container or two 20ft containers. Main components: FuWa axle (Chinese brand) or BPW axle (German brand), JOST landing gear (American brand), JOST kingpin, Orient star valve (Chinese brand), WABCO ABS system (optional component). All of the parts can choose Chinese brand or famous brands from Germany, Japan, US or UK, just according to customer's requirement.	3-axle gooseneck semi-trailer for 53R/48R/45R/40R container transport Main Specification: <table> <tr> <td>Model No.</td><td>FCC9381TJZ</td></tr> <tr> <td>External size(MM)</td><td>16400X2500X1770</td></tr> <tr> <td>Total weight(KG)</td><td>38500</td></tr> <tr> <td>Rated payload(KG)</td><td>30500</td></tr> <tr> <td>Tare weight (KG)</td><td>8000</td></tr> </table> Tyre and Axle Specification: <table> <tr> <td>Axle Number</td><td>3</td></tr> <tr> <td>Tyre Number</td><td>12</td></tr> <tr> <td>Tyre front/rear space</td><td>-/1840/1840/1840</td></tr> <tr> <td>Approach/Departure angle</td><td>-/10.7</td></tr> <tr> <td>Wheel base(MM)</td><td>9930+1310+1310</td></tr> <tr> <td>Axle Load (KG)</td><td>-/23890</td></tr> <tr> <td>Tyre Spec</td><td>11.00-20, 11.00R20 12.00-20,12.00R20</td></tr> <tr> <td>Steel leaf spring number</td><td>-8/8/8</td></tr> <tr> <td>Front/rear overhang</td><td>-/2860</td></tr> <tr> <td>Max king pin payloadKG</td><td>14610</td></tr> <tr> <td>VIN</td><td>LA99381GXXXFCCXXX</td></tr> </table>	Model No.	FCC9381TJZ	External size(MM)	16400X2500X1770	Total weight(KG)	38500	Rated payload(KG)	30500	Tare weight (KG)	8000	Axle Number	3	Tyre Number	12	Tyre front/rear space	-/1840/1840/1840	Approach/Departure angle	-/10.7	Wheel base(MM)	9930+1310+1310	Axle Load (KG)	-/23890	Tyre Spec	11.00-20, 11.00R20 12.00-20,12.00R20	Steel leaf spring number	-8/8/8	Front/rear overhang	-/2860	Max king pin payloadKG	14610	VIN	LA99381GXXXFCCXXX
Model No.	FCC9381TJZ																																
External size(MM)	16400X2500X1770																																
Total weight(KG)	38500																																
Rated payload(KG)	30500																																
Tare weight (KG)	8000																																
Axle Number	3																																
Tyre Number	12																																
Tyre front/rear space	-/1840/1840/1840																																
Approach/Departure angle	-/10.7																																
Wheel base(MM)	9930+1310+1310																																
Axle Load (KG)	-/23890																																
Tyre Spec	11.00-20, 11.00R20 12.00-20,12.00R20																																
Steel leaf spring number	-8/8/8																																
Front/rear overhang	-/2860																																
Max king pin payloadKG	14610																																
VIN	LA99381GXXXFCCXXX																																



常春宇创

Fujian Changchun Automobile Manufacture Co.,Ltd

ADD: Binhai Industrial Zone, Fuzhou, Fujian, China

TEL: +86-591-28703888

FAX: +86-591-28703239

WEB: www.fjchangchun.com EMAIL: fjchangchunauto@gmail.com

Picture	Product Detail
	2-axle skelton semi-trailer for 20Ft contanier transportation Main Specification: Model No. FCC9282TJZ External size(MM) 7196X2480X1500 Total weight(KG) 27750 Rated payload(KG) 24000 Tare weight (KG) 3750 Tyre and Axle Specification: Axle Number 2 Tyre Number 8 Tyre front/rear space -/1830/1830 Approah/Departure angle -/28 Wheel base(MM) 4250+1300 Axle Load (KG) -/17580 Tyre Spec 10.00-20,10.00R20 11.00-20, 11.00R20 Steel leaf spring number -/8/8 Front/rear overhang -/1046 Max king pin payloadKG 10170 VIN LA9928FGXXXFCCXXX
This product is a 2-axle Skeleton semi-trailer. It is available for one 20ft containers. Main components: FuWa axle (Chinese brand) or BPW axle (German brand), JOST landing gear (American brand), JOST kingpin, Orient star valve (Chinese brand), WABCO ABS system (optional component). All of the parts can choose Chinese brand or famous brands from Germany, Japan, US or UK, just according to customer's requirement.	



常春宇创

Fujian Changchun Automobile Manufacture Co.,Ltd

ADD: Binhai Industrial Zone, Fuzhou, Fujian, China

TEL: +86-591-28703888

FAX: +86-591-28703239

WEB: www.fjchangchun.com EMAIL: fjchangchunauto@gmail.com

Picture	Product Detail																																
 This product is a 2-axle Skeleton semi-trailer. It is available for one 40ft container or two 20ft containers. Main components: FuWa axle (Chinese brand) or BPW axle (German brand), JOST landing gear (American brand), JOST kingpin, Orient star valve (Chinese brand), WABCO ABS system (optional component). All of the parts can choose Chinese brand or famous brands from Germany, Japan, US or UK, just according to customer's requirement.	2-axle skeleton semi-trailer for 40Ft/20Ft containier transportaion Main Specification: <table> <tr> <td>Model No.</td><td>FCC9350TJZ</td></tr> <tr> <td>External size(MM)</td><td>12495X2495X1600</td></tr> <tr> <td>Total weight(KG)</td><td>34680</td></tr> <tr> <td>Rated payload(KG)</td><td>30480</td></tr> <tr> <td>Tare weight (KG)</td><td>4200</td></tr> </table> Tyre and Axle Specification: <table> <tr> <td>Axle Number</td><td>2</td></tr> <tr> <td>Tyre Number</td><td>8</td></tr> <tr> <td>Tyre front/rear space</td><td>-/1840/1840</td></tr> <tr> <td>Approah/Departure angle</td><td>-/14.5</td></tr> <tr> <td>Wheel base(MM)</td><td>8200+1300</td></tr> <tr> <td>Axle Load (KG)</td><td>-/18000</td></tr> <tr> <td>Tyre Spec</td><td>11.00-20, 11.00R20</td></tr> <tr> <td>Steel leaf spring number</td><td>-/8/8</td></tr> <tr> <td>Front/rear overhang</td><td>-/2095</td></tr> <tr> <td>Max king pin payloadKG</td><td>16680</td></tr> <tr> <td>VIN</td><td>LA9935NGXXXFCCXXX</td></tr> </table>	Model No.	FCC9350TJZ	External size(MM)	12495X2495X1600	Total weight(KG)	34680	Rated payload(KG)	30480	Tare weight (KG)	4200	Axle Number	2	Tyre Number	8	Tyre front/rear space	-/1840/1840	Approah/Departure angle	-/14.5	Wheel base(MM)	8200+1300	Axle Load (KG)	-/18000	Tyre Spec	11.00-20, 11.00R20	Steel leaf spring number	-/8/8	Front/rear overhang	-/2095	Max king pin payloadKG	16680	VIN	LA9935NGXXXFCCXXX
Model No.	FCC9350TJZ																																
External size(MM)	12495X2495X1600																																
Total weight(KG)	34680																																
Rated payload(KG)	30480																																
Tare weight (KG)	4200																																
Axle Number	2																																
Tyre Number	8																																
Tyre front/rear space	-/1840/1840																																
Approah/Departure angle	-/14.5																																
Wheel base(MM)	8200+1300																																
Axle Load (KG)	-/18000																																
Tyre Spec	11.00-20, 11.00R20																																
Steel leaf spring number	-/8/8																																
Front/rear overhang	-/2095																																
Max king pin payloadKG	16680																																
VIN	LA9935NGXXXFCCXXX																																



常春宇创

Fujian Changchun Automobile Manufacture Co.,Ltd

ADD: Binhai Industrial Zone, Fuzhou, Fujian, China

TEL: +86-591-28703888

FAX: +86-591-28703239

WEB: www.fjchangchun.com

EMAIL: fjchangchunauto@gmail.com

Picture	Product Detail																																
 This product is a 3-axle flat bed semi-trailer. It is available for one 40ft container or two 20ft containers. Main components: FuWa axle (Chinese brand) or BPW axle (German brand), JOST landing gear (American brand), JOST kingpin, Orient star valve (Chinese brand), WABCO ABS system (optional component). All of the parts can choose Chinese brand or famous brands from Germany, Japan, US or UK, just according to customer's requirement.	3-axle flat bed semi-trailer for 20ft/40ft container transportation. Main Specification: <table> <tr> <td>Model No.</td><td>FCC9350P</td></tr> <tr> <td>External size(MM)</td><td>12500/13000X2500X1600</td></tr> <tr> <td>Total weight(KG)</td><td>35000</td></tr> <tr> <td>Rated payload(KG)</td><td>28000</td></tr> <tr> <td>Tare weight (KG)</td><td>7000</td></tr> </table> Tyre and Axle Specification: <table> <tr> <td>Axle Number</td><td>3</td></tr> <tr> <td>Tyre Number</td><td>12</td></tr> <tr> <td>Tyre front/rear space</td><td>-/1840/1840/1840</td></tr> <tr> <td>Approach/Departure angle</td><td>-/15, -/13</td></tr> <tr> <td>Wheel base(MM)</td><td>7000+1310+1310</td></tr> <tr> <td>Axle Load (KG)</td><td>-/23400</td></tr> <tr> <td>Tyre Spec</td><td>11.00-20, 11.00R20 12.00-20, 12.00R20</td></tr> <tr> <td>Steel leaf spring number</td><td>-/7/7/7, -/8/8/8</td></tr> <tr> <td>Front/rear overhang</td><td>-/2080, -/2280</td></tr> <tr> <td>Max king pin payload(KG)</td><td>11600</td></tr> <tr> <td>VIN</td><td>LA9935MPXXXFCCXXX</td></tr> </table>	Model No.	FCC9350P	External size(MM)	12500/13000X2500X1600	Total weight(KG)	35000	Rated payload(KG)	28000	Tare weight (KG)	7000	Axle Number	3	Tyre Number	12	Tyre front/rear space	-/1840/1840/1840	Approach/Departure angle	-/15, -/13	Wheel base(MM)	7000+1310+1310	Axle Load (KG)	-/23400	Tyre Spec	11.00-20, 11.00R20 12.00-20, 12.00R20	Steel leaf spring number	-/7/7/7, -/8/8/8	Front/rear overhang	-/2080, -/2280	Max king pin payload(KG)	11600	VIN	LA9935MPXXXFCCXXX
Model No.	FCC9350P																																
External size(MM)	12500/13000X2500X1600																																
Total weight(KG)	35000																																
Rated payload(KG)	28000																																
Tare weight (KG)	7000																																
Axle Number	3																																
Tyre Number	12																																
Tyre front/rear space	-/1840/1840/1840																																
Approach/Departure angle	-/15, -/13																																
Wheel base(MM)	7000+1310+1310																																
Axle Load (KG)	-/23400																																
Tyre Spec	11.00-20, 11.00R20 12.00-20, 12.00R20																																
Steel leaf spring number	-/7/7/7, -/8/8/8																																
Front/rear overhang	-/2080, -/2280																																
Max king pin payload(KG)	11600																																
VIN	LA9935MPXXXFCCXXX																																



常春宇创

Fujian Changchun Automobile Manufacture Co.,Ltd

ADD: Binhai Industrial Zone, Fuzhou, Fujian, China

TEL: +86-591-28703888

FAX: +86-591-28703239

WEB: www.fjchangchun.com EMAIL: fjchangchunauto@gmail.com

Picture	Product Detail																																
 This van semi-trailer with a cargo container provides a safer choice for the transportation of cargo. Main components: FuWa axle (Chinese brand) or BPW axle (German brand), JOST landing gear (American brand), JOST kingpin, Orient star valve (Chinese brand), WABCO ABS system (optional component). All of the parts can choose Chinese brand or famous brands from Germany, Japan, US or UK, just according to customer's requirement.	3-axle van semi-trailer for transportation. Main Specification: <table> <tr> <td>Model No.</td><td>FCC9320XXY</td></tr> <tr> <td>External size(MM)</td><td>13000X2550X3960</td></tr> <tr> <td>Total weight(KG)</td><td>32300</td></tr> <tr> <td>Rated payload(KG)</td><td>24300</td></tr> <tr> <td>Tare weight (KG)</td><td>8000</td></tr> </table> Tyre and Axle Specification: <table> <tr> <td>Axle Number</td><td>3</td></tr> <tr> <td>Tyre Number</td><td>12</td></tr> <tr> <td>Tyre front/rear space</td><td>-/1840/1840/1840</td></tr> <tr> <td>Approah/Departure angle</td><td>-/14</td></tr> <tr> <td>Wheel base(MM)</td><td>7000+1310+1310</td></tr> <tr> <td>Axle Load (KG)</td><td>-/23890</td></tr> <tr> <td>Tyre Spec</td><td>11.00-20, 11.00R20 12.00-20,12.00R20</td></tr> <tr> <td>Steel leaf spring number</td><td>-/8/8/8</td></tr> <tr> <td>Front/rear overhang</td><td>-/2280</td></tr> <tr> <td>Max king pin payloadKG</td><td>8410</td></tr> <tr> <td>VIN</td><td>LA9932FXXXXFCCXXX</td></tr> </table>	Model No.	FCC9320XXY	External size(MM)	13000X2550X3960	Total weight(KG)	32300	Rated payload(KG)	24300	Tare weight (KG)	8000	Axle Number	3	Tyre Number	12	Tyre front/rear space	-/1840/1840/1840	Approah/Departure angle	-/14	Wheel base(MM)	7000+1310+1310	Axle Load (KG)	-/23890	Tyre Spec	11.00-20, 11.00R20 12.00-20,12.00R20	Steel leaf spring number	-/8/8/8	Front/rear overhang	-/2280	Max king pin payloadKG	8410	VIN	LA9932FXXXXFCCXXX
Model No.	FCC9320XXY																																
External size(MM)	13000X2550X3960																																
Total weight(KG)	32300																																
Rated payload(KG)	24300																																
Tare weight (KG)	8000																																
Axle Number	3																																
Tyre Number	12																																
Tyre front/rear space	-/1840/1840/1840																																
Approah/Departure angle	-/14																																
Wheel base(MM)	7000+1310+1310																																
Axle Load (KG)	-/23890																																
Tyre Spec	11.00-20, 11.00R20 12.00-20,12.00R20																																
Steel leaf spring number	-/8/8/8																																
Front/rear overhang	-/2280																																
Max king pin payloadKG	8410																																
VIN	LA9932FXXXXFCCXXX																																



常春宇创

Fujian Changchun Automobile Manufacture Co.,Ltd

ADD: Binhai Industrial Zone, Fuzhou, Fujian, China

TEL: +86-591-28703888

FAX: +86-591-28703239

WEB: www.fjchangchun.com EMAIL: fjchangchunauto@gmail.com

Picture



This van semi-trailer with a full seal cargo container provides a safer choice for the transportation of cargo.

Main components:

FuWa axle (Chinese brand) or BPW axle (German brand), JOST landing gear (American brand), JOST kingpin, Orient star valve (Chinese brand), WABCO ABS system (optional component). All of the parts can choose Chinese brand or famous brands from Germany, Japan, US or UK, just according to customer's requirement.

Product Detail

3-axle van semi-trailer for transportation.

Main Specification:

Model No.	FCC9330XXY
External size(MM)	14600X2550X3700/3800/4000
Total weight(KG)	33000
Rated payload(KG)	25000
Tare weight (KG)	8000

Tyre and Axle Specification:

Axle Number	3
Tyre Number	12
Tyre front/rear space	-/1840/1840/1840
Approah/Departure angle	-/10.8, -/12
Wheel base(MM)	7990+1310+1310, 8300+1310+1310
Axle Load (KG)	-/22770, -/22300
Tyre Spec	10.00-20, 10.00R20
Steel leaf spring number	-/7/7/7, -/8/8/8
Front/rear overhang	-/2890, -/2580
Max king pin payloadKG	10230, 10700
VIN	LA9933MXXXXFCCXXX



常春宇创

Fujian Changchun Automobile Manufacture Co.,Ltd

ADD: Binhai Industrial Zone, Fuzhou, Fujian, China

TEL: +86-591-28703888

FAX: +86-591-28703239

WEB: www.fjchangchun.com EMAIL: fjchangchunauto@gmail.com

Picture	Product Detail																																
 This van semi-trailer with a full seal cargo container provides a safer choice for the transportation of cargo. Main components: FuWa axle (Chinese brand) or BPW axle (German brand), JOST landing gear (American brand), JOST kingpin, Orient star valve (Chinese brand), WABCO ABS system (optional component). All of the parts can choose Chinese brand or famous brands from Germany, Japan, US or UK, just according to customer's requirement.	3-axle van semi-trailer for transportation. Main Specification: <table> <tr> <td>Model No.</td><td>FCC9390X</td></tr> <tr> <td>External size(MM)</td><td>13000X2550X3960</td></tr> <tr> <td>Total weight(KG)</td><td>39000</td></tr> <tr> <td>Rated payload(KG)</td><td>30500</td></tr> <tr> <td>Tare weight (KG)</td><td>8500</td></tr> </table> Tyre and Axle Specification: <table> <tr> <td>Axle Number</td><td>3</td></tr> <tr> <td>Tyre Number</td><td>12</td></tr> <tr> <td>Tyre front/rear space</td><td>-/1840/1840/1840</td></tr> <tr> <td>Approah/Departure angle</td><td>-/14</td></tr> <tr> <td>Wheel base(MM)</td><td>7050+1310+1310</td></tr> <tr> <td>Axle Load (KG)</td><td>-/23970</td></tr> <tr> <td>Tyre Spec</td><td>11.00-20,11.00R20 12.00-20,12.00R20</td></tr> <tr> <td>Steel leaf spring number</td><td>-/8/8/8</td></tr> <tr> <td>Front/rear overhang</td><td>-/2270</td></tr> <tr> <td>Max king pin payloadKG</td><td>15030</td></tr> <tr> <td>VIN</td><td>LA99390XXXXFCCXXX</td></tr> </table>	Model No.	FCC9390X	External size(MM)	13000X2550X3960	Total weight(KG)	39000	Rated payload(KG)	30500	Tare weight (KG)	8500	Axle Number	3	Tyre Number	12	Tyre front/rear space	-/1840/1840/1840	Approah/Departure angle	-/14	Wheel base(MM)	7050+1310+1310	Axle Load (KG)	-/23970	Tyre Spec	11.00-20,11.00R20 12.00-20,12.00R20	Steel leaf spring number	-/8/8/8	Front/rear overhang	-/2270	Max king pin payloadKG	15030	VIN	LA99390XXXXFCCXXX
Model No.	FCC9390X																																
External size(MM)	13000X2550X3960																																
Total weight(KG)	39000																																
Rated payload(KG)	30500																																
Tare weight (KG)	8500																																
Axle Number	3																																
Tyre Number	12																																
Tyre front/rear space	-/1840/1840/1840																																
Approah/Departure angle	-/14																																
Wheel base(MM)	7050+1310+1310																																
Axle Load (KG)	-/23970																																
Tyre Spec	11.00-20,11.00R20 12.00-20,12.00R20																																
Steel leaf spring number	-/8/8/8																																
Front/rear overhang	-/2270																																
Max king pin payloadKG	15030																																
VIN	LA99390XXXXFCCXXX																																



常春宇创

Fujian Changchun Automobile Manufacture Co.,Ltd

ADD: Binhai Industrial Zone, Fuzhou, Fujian, China

TEL: +86-591-28703888

FAX: +86-591-28703239

WEB: www.fjchangchun.com

EMAIL: fjchangchunauto@gmail.com

Picture	Product Detail																																
 This van semi-trailer with a full seal cargo container provides a safer choice for the transportation of cargo. Main components: FuWa axle (Chinese brand) or BPW axle (German brand), JOST landing gear (American brand), JOST kingpin, Orient star valve (Chinese brand), WABCO ABS system (optional component). All of the parts can choose Chinese brand or famous brands from Germany, Japan, US or UK, just according to customer's requirement.	3-axle van semi-trailer for transportation. Main Specification: <table> <tr> <td>Model No.</td><td>FCC9400XXY</td></tr> <tr> <td>External size(MM)</td><td>14600X2550X3790/3990</td></tr> <tr> <td>Total weight(KG)</td><td>40000</td></tr> <tr> <td>Rated payload(KG)</td><td>31500</td></tr> <tr> <td>Tare weight (KG)</td><td>8500</td></tr> </table> Tyre and Axle Specification: <table> <tr> <td>Axle Number</td><td>3</td></tr> <tr> <td>Tyre Number</td><td>12</td></tr> <tr> <td>Tyre front/rear space</td><td>-/1840/1840/1840</td></tr> <tr> <td>Approah/Departure angle</td><td>-/10.8, -/12</td></tr> <tr> <td>Wheel base(MM)</td><td>7990+1310+1310, 8300+1310+1310</td></tr> <tr> <td>Axle Load (KG)</td><td>-/24000, -/23280</td></tr> <tr> <td>Tyre Spec</td><td>11.00-20, 11.00R20 12.00-20,12.00R20</td></tr> <tr> <td>Steel leaf spring number</td><td>-8/8/8</td></tr> <tr> <td>Front/rear overhang</td><td>-/2195</td></tr> <tr> <td>Max king pin payload(KG)</td><td>16000, 16720</td></tr> <tr> <td>VIN</td><td>LA9940NXXXXFCCXXX</td></tr> </table>	Model No.	FCC9400XXY	External size(MM)	14600X2550X3790/3990	Total weight(KG)	40000	Rated payload(KG)	31500	Tare weight (KG)	8500	Axle Number	3	Tyre Number	12	Tyre front/rear space	-/1840/1840/1840	Approah/Departure angle	-/10.8, -/12	Wheel base(MM)	7990+1310+1310, 8300+1310+1310	Axle Load (KG)	-/24000, -/23280	Tyre Spec	11.00-20, 11.00R20 12.00-20,12.00R20	Steel leaf spring number	-8/8/8	Front/rear overhang	-/2195	Max king pin payload(KG)	16000, 16720	VIN	LA9940NXXXXFCCXXX
Model No.	FCC9400XXY																																
External size(MM)	14600X2550X3790/3990																																
Total weight(KG)	40000																																
Rated payload(KG)	31500																																
Tare weight (KG)	8500																																
Axle Number	3																																
Tyre Number	12																																
Tyre front/rear space	-/1840/1840/1840																																
Approah/Departure angle	-/10.8, -/12																																
Wheel base(MM)	7990+1310+1310, 8300+1310+1310																																
Axle Load (KG)	-/24000, -/23280																																
Tyre Spec	11.00-20, 11.00R20 12.00-20,12.00R20																																
Steel leaf spring number	-8/8/8																																
Front/rear overhang	-/2195																																
Max king pin payload(KG)	16000, 16720																																
VIN	LA9940NXXXXFCCXXX																																



常春宇创

Fujian Changchun Automobile Manufacture Co.,Ltd

ADD: Binhai Industrial Zone, Fuzhou, Fujian, China

TEL: +86-591-28703888

FAX: +86-591-28703239

WEB: www.fjchangchun.com EMAIL: fjchangchunauto@gmail.com

Picture	Product Detail																																
 This product is a 3-axle Stake semi-trailer. Mainly suitable for the transportation of the fresh agricultural and subsidiary products like vegetables & fruits, and other light and bulk cargos. Main components: FuWa axle (Chinese brand) or BPW axle (German brand), JOST landing gear (American brand), JOST kingpin, Orient star valve (Chinese brand), WABCO ABS system (optional component). All of the parts can choose Chinese brand or famous brands from Germany, Japan, US or UK, just according to customer's requirement.	3-axle 13M Stake Semi-trailer for cargo transformation. Main Specification: <table> <tr> <td>Model No.</td><td>FCC9280CLXY</td></tr> <tr> <td>External size(MM)</td><td>13000X2500X3780</td></tr> <tr> <td>Total weight(KG)</td><td>28000</td></tr> <tr> <td>Rated payload(KG)</td><td>21000</td></tr> <tr> <td>Tare weight (KG)</td><td>7000</td></tr> </table> Tyre and Axle Specification: <table> <tr> <td>Axle Number</td><td>3</td></tr> <tr> <td>Tyre Number</td><td>12</td></tr> <tr> <td>Tyre front/rear space</td><td>-/1840/1840/1840</td></tr> <tr> <td>Approach/Departure angle</td><td>-/14</td></tr> <tr> <td>Wheel base(MM)</td><td>7000+1310+1310</td></tr> <tr> <td>Axle Load (KG)</td><td>-/21500</td></tr> <tr> <td>Tyre Spec</td><td>10.00-20,10.00R20</td></tr> <tr> <td>Steel leaf spring number</td><td>-/8/8/8</td></tr> <tr> <td>Front/rear overhang</td><td>-/2280</td></tr> <tr> <td>Max king pin payloadKG</td><td>6500</td></tr> <tr> <td>VIN</td><td>LA9928FCXXXFCCXXX</td></tr> </table>	Model No.	FCC9280CLXY	External size(MM)	13000X2500X3780	Total weight(KG)	28000	Rated payload(KG)	21000	Tare weight (KG)	7000	Axle Number	3	Tyre Number	12	Tyre front/rear space	-/1840/1840/1840	Approach/Departure angle	-/14	Wheel base(MM)	7000+1310+1310	Axle Load (KG)	-/21500	Tyre Spec	10.00-20,10.00R20	Steel leaf spring number	-/8/8/8	Front/rear overhang	-/2280	Max king pin payloadKG	6500	VIN	LA9928FCXXXFCCXXX
Model No.	FCC9280CLXY																																
External size(MM)	13000X2500X3780																																
Total weight(KG)	28000																																
Rated payload(KG)	21000																																
Tare weight (KG)	7000																																
Axle Number	3																																
Tyre Number	12																																
Tyre front/rear space	-/1840/1840/1840																																
Approach/Departure angle	-/14																																
Wheel base(MM)	7000+1310+1310																																
Axle Load (KG)	-/21500																																
Tyre Spec	10.00-20,10.00R20																																
Steel leaf spring number	-/8/8/8																																
Front/rear overhang	-/2280																																
Max king pin payloadKG	6500																																
VIN	LA9928FCXXXFCCXXX																																



常春宇创

Fujian Changchun Automobile Manufacture Co.,Ltd

ADD: Binhai Industrial Zone, Fuzhou, Fujian, China

TEL: +86-591-28703888

FAX: +86-591-28703239

WEB: www.fjchangchun.com EMAIL: fjchangchunauto@gmail.com

Picture	Product Detail																																
 This product is a 3-axle Stake semi-trailer. Mainly suitable for the transportation of the fresh agricultural and subsidiary products like vegetables & fruits, and other light and bulk cargos. Main components: FuWa axle (Chinese brand) or BPW axle (German brand), JOST landing gear (American brand), JOST kingpin, Orient star valve (Chinese brand), WABCO ABS system (optional component). All of the parts can choose Chinese brand or famous brands from Germany, Japan, US or UK, just according to customer's requirement.	3-axle 13M Stake Semi-trailer for cargo transformation. Main Specification: <table> <tr> <td>Model No.</td><td>FCC9330CLXY</td></tr> <tr> <td>External size(MM)</td><td>13000X2500X3780</td></tr> <tr> <td>Total weight(KG)</td><td>33000</td></tr> <tr> <td>Rated payload(KG)</td><td>25000</td></tr> <tr> <td>Tare weight (KG)</td><td>8000</td></tr> </table> Tyre and Axle Specification: <table> <tr> <td>Axle Number</td><td>3</td></tr> <tr> <td>Tyre Number</td><td>12</td></tr> <tr> <td>Tyre front/rear space</td><td>-/1840/1840/1840</td></tr> <tr> <td>Approach/Departure angle</td><td>-/14</td></tr> <tr> <td>Wheel base(MM)</td><td>7000+1310+1310</td></tr> <tr> <td>Axle Load (KG)</td><td>-/21500</td></tr> <tr> <td>Tyre Spec</td><td>11.00-20, 11.00R20 12.00-20,12.00R20</td></tr> <tr> <td>Steel leaf spring number</td><td>-/7/7/7</td></tr> <tr> <td>Front/rear overhang</td><td>-/14</td></tr> <tr> <td>Max king pin payloadKG</td><td>11500</td></tr> <tr> <td>VIN</td><td>LA9930MCXXXFCCXXX</td></tr> </table>	Model No.	FCC9330CLXY	External size(MM)	13000X2500X3780	Total weight(KG)	33000	Rated payload(KG)	25000	Tare weight (KG)	8000	Axle Number	3	Tyre Number	12	Tyre front/rear space	-/1840/1840/1840	Approach/Departure angle	-/14	Wheel base(MM)	7000+1310+1310	Axle Load (KG)	-/21500	Tyre Spec	11.00-20, 11.00R20 12.00-20,12.00R20	Steel leaf spring number	-/7/7/7	Front/rear overhang	-/14	Max king pin payloadKG	11500	VIN	LA9930MCXXXFCCXXX
Model No.	FCC9330CLXY																																
External size(MM)	13000X2500X3780																																
Total weight(KG)	33000																																
Rated payload(KG)	25000																																
Tare weight (KG)	8000																																
Axle Number	3																																
Tyre Number	12																																
Tyre front/rear space	-/1840/1840/1840																																
Approach/Departure angle	-/14																																
Wheel base(MM)	7000+1310+1310																																
Axle Load (KG)	-/21500																																
Tyre Spec	11.00-20, 11.00R20 12.00-20,12.00R20																																
Steel leaf spring number	-/7/7/7																																
Front/rear overhang	-/14																																
Max king pin payloadKG	11500																																
VIN	LA9930MCXXXFCCXXX																																



常春宇创

Fujian Changchun Automobile Manufacture Co.,Ltd

ADD: Binhai Industrial Zone, Fuzhou, Fujian, China

TEL: +86-591-28703888

FAX: +86-591-28703239

WEB: www.fjchangchun.com EMAIL: fjchangchunauto@gmail.com

Picture	Product Detail																																
 This product is a 3-axle Stake semi-trailer. Mainly suitable for the transportation of the fresh agricultural and subsidiary products like vegetables & fruits, and other light and bulk cargos. Main components: FuWa axle (Chinese brand) or BPW axle (German brand), JOST landing gear (American brand), JOST kingpin, Orient star valve (Chinese brand), WABCO ABS system (optional component). All of the parts can choose Chinese brand or famous brands from Germany, Japan, US or UK, just according to customer's requirement.	3-axle 13M Stake Semi-trailer for cargo transformation. Main Specification: <table> <tr> <td>Model No.</td><td>FCC400CLXY</td></tr> <tr> <td>External size(MM)</td><td>13000X2500X3980/3780/3580/3380</td></tr> <tr> <td>Total weight(KG)</td><td>40000</td></tr> <tr> <td>Rated payload(KG)</td><td>32000</td></tr> <tr> <td>Tare weight (KG)</td><td>8000</td></tr> </table> Tyre and Axle Specification: <table> <tr> <td>Axle Number</td><td>3</td></tr> <tr> <td>Tyre Number</td><td>12</td></tr> <tr> <td>Tyre front/rear space</td><td>-/1840/1840/1840</td></tr> <tr> <td>Approach/Departure angle</td><td>-/14</td></tr> <tr> <td>Wheel base(MM)</td><td>7000+1310+1310</td></tr> <tr> <td>Axle Load (KG)</td><td>-/24000</td></tr> <tr> <td>Tyre Spec</td><td>11.00R20, 12.00R20</td></tr> <tr> <td>Steel leaf spring number</td><td>-8/8/8, -/10/10/10</td></tr> <tr> <td>Front/rear overhang</td><td>-/2280</td></tr> <tr> <td>Max king pin payloadKG</td><td>16000</td></tr> <tr> <td>VIN</td><td>LA9940NCXXXFCCXXX</td></tr> </table>	Model No.	FCC400CLXY	External size(MM)	13000X2500X3980/3780/3580/3380	Total weight(KG)	40000	Rated payload(KG)	32000	Tare weight (KG)	8000	Axle Number	3	Tyre Number	12	Tyre front/rear space	-/1840/1840/1840	Approach/Departure angle	-/14	Wheel base(MM)	7000+1310+1310	Axle Load (KG)	-/24000	Tyre Spec	11.00R20, 12.00R20	Steel leaf spring number	-8/8/8, -/10/10/10	Front/rear overhang	-/2280	Max king pin payloadKG	16000	VIN	LA9940NCXXXFCCXXX
Model No.	FCC400CLXY																																
External size(MM)	13000X2500X3980/3780/3580/3380																																
Total weight(KG)	40000																																
Rated payload(KG)	32000																																
Tare weight (KG)	8000																																
Axle Number	3																																
Tyre Number	12																																
Tyre front/rear space	-/1840/1840/1840																																
Approach/Departure angle	-/14																																
Wheel base(MM)	7000+1310+1310																																
Axle Load (KG)	-/24000																																
Tyre Spec	11.00R20, 12.00R20																																
Steel leaf spring number	-8/8/8, -/10/10/10																																
Front/rear overhang	-/2280																																
Max king pin payloadKG	16000																																
VIN	LA9940NCXXXFCCXXX																																



常春宇创

Fujian Changchun Automobile Manufacture Co.,Ltd

ADD: Binhai Industrial Zone, Fuzhou, Fujian, China

TEL: +86-591-28703888

FAX: +86-591-28703239

WEB: www.fjchangchun.com EMAIL: fjchangchunauto@gmail.com

Picture	Product Detail																																
 This semi-trailer with sidewalls is available for the transportation of many kinds of cargo. Main components: FuWa axle (Chinese brand) or BPW axle (German brand), JOST landing gear (American brand), JOST kingpin, Orient star valve (Chinese brand), WABCO ABS system (optional component). All of the parts can choose Chinese brand or famous brands from Germany, Japan, US or UK, just according to customer's requirement.	3-axle semi-trailer with sidewalls for cargo transportation. Main Specification: <table> <tr> <td>Model No.</td><td>FCC9280L</td></tr> <tr> <td>External size(MM)</td><td>13000X2500X2900</td></tr> <tr> <td>Total weight(KG)</td><td>28000</td></tr> <tr> <td>Rated payload(KG)</td><td>22000</td></tr> <tr> <td>Tare weight (KG)</td><td>6000</td></tr> </table> Tyre and Axle Specification: <table> <tr> <td>Axle Number</td><td>3</td></tr> <tr> <td>Tyre Number</td><td>12</td></tr> <tr> <td>Tyre front/rear space</td><td>-/1840/1840/1840</td></tr> <tr> <td>Approah/Departure angle</td><td>-/14</td></tr> <tr> <td>Wheel base(MM)</td><td>7000+1310+1310</td></tr> <tr> <td>Axle Load (KG)</td><td>-/21300</td></tr> <tr> <td>Tyre Spec</td><td>10.00-20, 10.00R20</td></tr> <tr> <td>Steel leaf spring number</td><td>-/7/7/7, -/8/8/8</td></tr> <tr> <td>Front/rear overhang</td><td>-/2280</td></tr> <tr> <td>Max king pin payloadKG</td><td>6700</td></tr> <tr> <td>VIN</td><td>LA9928FLXXXFCCXXX</td></tr> </table>	Model No.	FCC9280L	External size(MM)	13000X2500X2900	Total weight(KG)	28000	Rated payload(KG)	22000	Tare weight (KG)	6000	Axle Number	3	Tyre Number	12	Tyre front/rear space	-/1840/1840/1840	Approah/Departure angle	-/14	Wheel base(MM)	7000+1310+1310	Axle Load (KG)	-/21300	Tyre Spec	10.00-20, 10.00R20	Steel leaf spring number	-/7/7/7, -/8/8/8	Front/rear overhang	-/2280	Max king pin payloadKG	6700	VIN	LA9928FLXXXFCCXXX
Model No.	FCC9280L																																
External size(MM)	13000X2500X2900																																
Total weight(KG)	28000																																
Rated payload(KG)	22000																																
Tare weight (KG)	6000																																
Axle Number	3																																
Tyre Number	12																																
Tyre front/rear space	-/1840/1840/1840																																
Approah/Departure angle	-/14																																
Wheel base(MM)	7000+1310+1310																																
Axle Load (KG)	-/21300																																
Tyre Spec	10.00-20, 10.00R20																																
Steel leaf spring number	-/7/7/7, -/8/8/8																																
Front/rear overhang	-/2280																																
Max king pin payloadKG	6700																																
VIN	LA9928FLXXXFCCXXX																																



常春宇创

Fujian Changchun Automobile Manufacture Co.,Ltd

ADD: Binhai Industrial Zone, Fuzhou, Fujian, China

TEL: +86-591-28703888

FAX: +86-591-28703239

WEB: www.fjchangchun.com EMAIL: fjchangchunauto@gmail.com

Picture	Product Detail																																
 This semi-trailer with sidewalls is available for the transportation of many kinds of cargo. Main components: FuWa axle (Chinese brand) or BPW axle (German brand), JOST landing gear (American brand), JOST kingpin, Orient star valve (Chinese brand), WABCO ABS system (optional component). All of the parts can choose Chinese brand or famous brands from Germany, Japan, US or UK, just according to customer's requirement.	3-axle semi-trailer with sidewalls for cargo transportation. Main Specification: <table> <tr> <td>Model No.</td><td>FCC9320L</td></tr> <tr> <td>External size(MM)</td><td>13000X2500X2900</td></tr> <tr> <td>Total weight(KG)</td><td>32000</td></tr> <tr> <td>Rated payload(KG)</td><td>25000</td></tr> <tr> <td>Tare weight (KG)</td><td>7000</td></tr> </table> Tyre and Axle Specification: <table> <tr> <td>Axle Number</td><td>3</td></tr> <tr> <td>Tyre Number</td><td>12</td></tr> <tr> <td>Tyre front/rear space</td><td>-/1840/1840/1840</td></tr> <tr> <td>Approah/Departure angle</td><td>-/14</td></tr> <tr> <td>Wheel base(MM)</td><td>7000+1310+1310</td></tr> <tr> <td>Axle Load (KG)</td><td>-/22000</td></tr> <tr> <td>Tyre Spec</td><td>11.00-20, 11.00R20 12.00-20,12.00R20</td></tr> <tr> <td>Steel leaf spring number</td><td>-/7/7/7, -/8/8/8</td></tr> <tr> <td>Front/rear overhang</td><td>-/2280</td></tr> <tr> <td>Max king pin payloadKG</td><td>10000</td></tr> <tr> <td>VIN</td><td>LA9932MLXXXFCCXXX</td></tr> </table>	Model No.	FCC9320L	External size(MM)	13000X2500X2900	Total weight(KG)	32000	Rated payload(KG)	25000	Tare weight (KG)	7000	Axle Number	3	Tyre Number	12	Tyre front/rear space	-/1840/1840/1840	Approah/Departure angle	-/14	Wheel base(MM)	7000+1310+1310	Axle Load (KG)	-/22000	Tyre Spec	11.00-20, 11.00R20 12.00-20,12.00R20	Steel leaf spring number	-/7/7/7, -/8/8/8	Front/rear overhang	-/2280	Max king pin payloadKG	10000	VIN	LA9932MLXXXFCCXXX
Model No.	FCC9320L																																
External size(MM)	13000X2500X2900																																
Total weight(KG)	32000																																
Rated payload(KG)	25000																																
Tare weight (KG)	7000																																
Axle Number	3																																
Tyre Number	12																																
Tyre front/rear space	-/1840/1840/1840																																
Approah/Departure angle	-/14																																
Wheel base(MM)	7000+1310+1310																																
Axle Load (KG)	-/22000																																
Tyre Spec	11.00-20, 11.00R20 12.00-20,12.00R20																																
Steel leaf spring number	-/7/7/7, -/8/8/8																																
Front/rear overhang	-/2280																																
Max king pin payloadKG	10000																																
VIN	LA9932MLXXXFCCXXX																																



常春宇创

Fujian Changchun Automobile Manufacture Co.,Ltd

ADD: Binhai Industrial Zone, Fuzhou, Fujian, China

TEL: +86-591-28703888

FAX: +86-591-28703239

WEB: www.fjchangchun.com EMAIL: fjchangchunauto@gmail.com

Picture	Product Detail																																
 This semi-trailer with sidewalls is available for the transportation of many kinds of cargo. Main components: FuWa axle (Chinese brand) or BPW axle (German brand), JOST landing gear (American brand), JOST kingpin, Orient star valve (Chinese brand), WABCO ABS system (optional component). All of the parts can choose Chinese brand or famous brands from Germany, Japan, US or UK, just according to customer's requirement.	3-axle semi-trailer with sidewalls for cargo transportation. Main Specification: <table> <tr> <td>Model No.</td><td>FCC9380L</td></tr> <tr> <td>External size(MM)</td><td>13000X2500X2700</td></tr> <tr> <td>Total weight(KG)</td><td>38500</td></tr> <tr> <td>Rated payload(KG)</td><td>30500</td></tr> <tr> <td>Tare weight (KG)</td><td>8000</td></tr> </table> Tyre and Axle Specification: <table> <tr> <td>Axle Number</td><td>3</td></tr> <tr> <td>Tyre Number</td><td>12</td></tr> <tr> <td>Tyre front/rear space</td><td>-/1840/1840/1840</td></tr> <tr> <td>Approah/Departure angle</td><td>-/14</td></tr> <tr> <td>Wheel base(MM)</td><td>7050+1310+1310</td></tr> <tr> <td>Axle Load (KG)</td><td>-/23660</td></tr> <tr> <td>Tyre Spec</td><td>11.00-20, 11.00R20 12.00-20,12.00R20</td></tr> <tr> <td>Steel leaf spring number</td><td>-/8/8/8</td></tr> <tr> <td>Front/rear overhang</td><td>-/2270</td></tr> <tr> <td>Max king pin payloadKG</td><td>14840</td></tr> <tr> <td>VIN</td><td>LA9938LXXXFCCXXX</td></tr> </table>	Model No.	FCC9380L	External size(MM)	13000X2500X2700	Total weight(KG)	38500	Rated payload(KG)	30500	Tare weight (KG)	8000	Axle Number	3	Tyre Number	12	Tyre front/rear space	-/1840/1840/1840	Approah/Departure angle	-/14	Wheel base(MM)	7050+1310+1310	Axle Load (KG)	-/23660	Tyre Spec	11.00-20, 11.00R20 12.00-20,12.00R20	Steel leaf spring number	-/8/8/8	Front/rear overhang	-/2270	Max king pin payloadKG	14840	VIN	LA9938LXXXFCCXXX
Model No.	FCC9380L																																
External size(MM)	13000X2500X2700																																
Total weight(KG)	38500																																
Rated payload(KG)	30500																																
Tare weight (KG)	8000																																
Axle Number	3																																
Tyre Number	12																																
Tyre front/rear space	-/1840/1840/1840																																
Approah/Departure angle	-/14																																
Wheel base(MM)	7050+1310+1310																																
Axle Load (KG)	-/23660																																
Tyre Spec	11.00-20, 11.00R20 12.00-20,12.00R20																																
Steel leaf spring number	-/8/8/8																																
Front/rear overhang	-/2270																																
Max king pin payloadKG	14840																																
VIN	LA9938LXXXFCCXXX																																



常春宇创

Fujian Changchun Automobile Manufacture Co.,Ltd

ADD: Binhai Industrial Zone, Fuzhou, Fujian, China

TEL: +86-591-28703888

FAX: +86-591-28703239

WEB: www.fjchangchun.com EMAIL: fjchangchunauto@gmail.com

Picture	Product Detail																																
 This semi-trailer with sidewalls is available for the transportation of many kinds of cargo. Main components: FuWa axle (Chinese brand) or BPW axle (German brand), JOST landing gear (American brand), JOST kingpin, Orient star valve (Chinese brand), WABCO ABS system (optional component). All of the parts can choose Chinese brand or famous brands from Germany, Japan, US or UK, just according to customer's requirement.	3-axle semi-trailer with sidewalls for cargo transportation. Main Specification: <table> <tr> <td>Model No.</td><td>FCC9400L</td></tr> <tr> <td>External size(MM)</td><td>13000X2500X2900</td></tr> <tr> <td>Total weight(KG)</td><td>40000</td></tr> <tr> <td>Rated payload(KG)</td><td>32000</td></tr> <tr> <td>Tare weight (KG)</td><td>8000</td></tr> </table> Tyre and Axle Specification: <table> <tr> <td>Axle Number</td><td>3</td></tr> <tr> <td>Tyre Number</td><td>12</td></tr> <tr> <td>Tyre front/rear space</td><td>-/1840/1840/1840</td></tr> <tr> <td>Approah/Departure angle</td><td>-/14</td></tr> <tr> <td>Wheel base(MM)</td><td>7000+1310+1310</td></tr> <tr> <td>Axle Load (KG)</td><td>-/24000</td></tr> <tr> <td>Tyre Spec</td><td>11.00-20, 11.00R20 12.00-20,12.00R20</td></tr> <tr> <td>Steel leaf spring number</td><td>-8/8/8, -/10/10/10</td></tr> <tr> <td>Front/rear overhang</td><td>-/2280</td></tr> <tr> <td>Max king pin payloadKG</td><td>16000</td></tr> <tr> <td>VIN</td><td>LA9940NLXXXFCCXXX</td></tr> </table>	Model No.	FCC9400L	External size(MM)	13000X2500X2900	Total weight(KG)	40000	Rated payload(KG)	32000	Tare weight (KG)	8000	Axle Number	3	Tyre Number	12	Tyre front/rear space	-/1840/1840/1840	Approah/Departure angle	-/14	Wheel base(MM)	7000+1310+1310	Axle Load (KG)	-/24000	Tyre Spec	11.00-20, 11.00R20 12.00-20,12.00R20	Steel leaf spring number	-8/8/8, -/10/10/10	Front/rear overhang	-/2280	Max king pin payloadKG	16000	VIN	LA9940NLXXXFCCXXX
Model No.	FCC9400L																																
External size(MM)	13000X2500X2900																																
Total weight(KG)	40000																																
Rated payload(KG)	32000																																
Tare weight (KG)	8000																																
Axle Number	3																																
Tyre Number	12																																
Tyre front/rear space	-/1840/1840/1840																																
Approah/Departure angle	-/14																																
Wheel base(MM)	7000+1310+1310																																
Axle Load (KG)	-/24000																																
Tyre Spec	11.00-20, 11.00R20 12.00-20,12.00R20																																
Steel leaf spring number	-8/8/8, -/10/10/10																																
Front/rear overhang	-/2280																																
Max king pin payloadKG	16000																																
VIN	LA9940NLXXXFCCXXX																																



常春宇创

Fujian Changchun Automobile Manufacture Co.,Ltd

ADD: Binhai Industrial Zone, Fuzhou, Fujian, China

TEL: +86-591-28703888

FAX: +86-591-28703239

WEB: www.fjchangchun.com EMAIL: fjchangchunauto@gmail.com

Picture	Product Detail																																
 This semi-trailer with sidewalls is available for the transportation of many kinds of cargo. Main components: FuWa axle (Chinese brand) or BPW axle (German brand), JOST landing gear (American brand), JOST kingpin, Orient star valve (Chinese brand), WABCO ABS system (optional component). All of the parts can choose Chinese brand or famous brands from Germany, Japan, US or UK, just according to customer's requirement.	3-axle semi-trailer with sidewalls for cargo transportation. Main Specification: <table> <tr> <td>Model No.</td><td>FCC9401L</td></tr> <tr> <td>External size(MM)</td><td>11500X2500X2900</td></tr> <tr> <td>Total weight(KG)</td><td>39800</td></tr> <tr> <td>Rated payload(KG)</td><td>32300</td></tr> <tr> <td>Tare weight (KG)</td><td>75000</td></tr> </table> Tyre and Axle Specification: <table> <tr> <td>Axle Number</td><td>3</td></tr> <tr> <td>Tyre Number</td><td>12</td></tr> <tr> <td>Tyre front/rear space</td><td>-/1840/1840/1840</td></tr> <tr> <td>Approah/Departure angle</td><td>-/15</td></tr> <tr> <td>Wheel base(MM)</td><td>5720+1310+1310</td></tr> <tr> <td>Axle Load (KG)</td><td>-/24000</td></tr> <tr> <td>Tyre Spec</td><td>11.00-20, 11.00R20 12.00-20, 12.00R20</td></tr> <tr> <td>Steel leaf spring number</td><td>-/7/7/7, -/8/8/8</td></tr> <tr> <td>Front/rear overhang</td><td>-/2060</td></tr> <tr> <td>Max king pin payloadKG</td><td>15800</td></tr> <tr> <td>VIN</td><td>LA9940NLXXXFCCXXX</td></tr> </table>	Model No.	FCC9401L	External size(MM)	11500X2500X2900	Total weight(KG)	39800	Rated payload(KG)	32300	Tare weight (KG)	75000	Axle Number	3	Tyre Number	12	Tyre front/rear space	-/1840/1840/1840	Approah/Departure angle	-/15	Wheel base(MM)	5720+1310+1310	Axle Load (KG)	-/24000	Tyre Spec	11.00-20, 11.00R20 12.00-20, 12.00R20	Steel leaf spring number	-/7/7/7, -/8/8/8	Front/rear overhang	-/2060	Max king pin payloadKG	15800	VIN	LA9940NLXXXFCCXXX
Model No.	FCC9401L																																
External size(MM)	11500X2500X2900																																
Total weight(KG)	39800																																
Rated payload(KG)	32300																																
Tare weight (KG)	75000																																
Axle Number	3																																
Tyre Number	12																																
Tyre front/rear space	-/1840/1840/1840																																
Approah/Departure angle	-/15																																
Wheel base(MM)	5720+1310+1310																																
Axle Load (KG)	-/24000																																
Tyre Spec	11.00-20, 11.00R20 12.00-20, 12.00R20																																
Steel leaf spring number	-/7/7/7, -/8/8/8																																
Front/rear overhang	-/2060																																
Max king pin payloadKG	15800																																
VIN	LA9940NLXXXFCCXXX																																



常春宇创

Fujian Changchun Automobile Manufacture Co.,Ltd

ADD: Binhai Industrial Zone, Fuzhou, Fujian, China

TEL: +86-591-28703888

FAX: +86-591-28703239

WEB: www.fjchangchun.com EMAIL: fjchangchunauto@gmail.com

Picture	Product Detail																																
 This Tipper semi-trailer is available for discharge cargo easily from the back. Main components: FuWa axle (Chinese brand) or BPW axle (German brand), JOST landing gear (American brand), JOST kingpin, Orient star valve (Chinese brand), WABCO ABS system (optional component). All of the parts can choose Chinese brand or famous brands from Germany, Japan, US or UK, just according to customer's requirement.	3-axle Tipper semi-trailer for cargo transportation. Main Specification: <table> <tr> <td>Model No.</td><td>FCC9400ZZX</td></tr> <tr> <td>External size(MM)</td><td>13000X2500X2930</td></tr> <tr> <td>Total weight(KG)</td><td>39800</td></tr> <tr> <td>Rated payload(KG)</td><td>29000</td></tr> <tr> <td>Tare weight (KG)</td><td>10800</td></tr> </table> Tyre and Axle Specification: <table> <tr> <td>Axle Number</td><td>3</td></tr> <tr> <td>Tyre Number</td><td>12</td></tr> <tr> <td>Tyre front/rear space</td><td>-/1840/1840/1840</td></tr> <tr> <td>Approah/Departure angle</td><td>-/13</td></tr> <tr> <td>Wheel base(MM)</td><td>7030+1310+1310</td></tr> <tr> <td>Axle Load(KG)</td><td>-/24000</td></tr> <tr> <td>Tyre Spec</td><td>11.00-20,11.00R20 12.00-20,12.00R20</td></tr> <tr> <td>Steel leaf spring number</td><td>-/7/7/7, -/8/8/8</td></tr> <tr> <td>Front/rear overhang</td><td>-/2150</td></tr> <tr> <td>Max king pin payloadKG</td><td>15800</td></tr> <tr> <td>VIN</td><td>LA9940MFXXXFCCXXX</td></tr> </table>	Model No.	FCC9400ZZX	External size(MM)	13000X2500X2930	Total weight(KG)	39800	Rated payload(KG)	29000	Tare weight (KG)	10800	Axle Number	3	Tyre Number	12	Tyre front/rear space	-/1840/1840/1840	Approah/Departure angle	-/13	Wheel base(MM)	7030+1310+1310	Axle Load(KG)	-/24000	Tyre Spec	11.00-20,11.00R20 12.00-20,12.00R20	Steel leaf spring number	-/7/7/7, -/8/8/8	Front/rear overhang	-/2150	Max king pin payloadKG	15800	VIN	LA9940MFXXXFCCXXX
Model No.	FCC9400ZZX																																
External size(MM)	13000X2500X2930																																
Total weight(KG)	39800																																
Rated payload(KG)	29000																																
Tare weight (KG)	10800																																
Axle Number	3																																
Tyre Number	12																																
Tyre front/rear space	-/1840/1840/1840																																
Approah/Departure angle	-/13																																
Wheel base(MM)	7030+1310+1310																																
Axle Load(KG)	-/24000																																
Tyre Spec	11.00-20,11.00R20 12.00-20,12.00R20																																
Steel leaf spring number	-/7/7/7, -/8/8/8																																
Front/rear overhang	-/2150																																
Max king pin payloadKG	15800																																
VIN	LA9940MFXXXFCCXXX																																



常春宇创

Fujian Changchun Automobile Manufacture Co.,Ltd

ADD: Binhai Industrial Zone, Fuzhou, Fujian, China

TEL: +86-591-28703888

FAX: +86-591-28703239

WEB: www.fjchangchun.com EMAIL: fjchangchunauto@gmail.com

Picture	Product Detail																																		
 This product is a 3-axle Tank semi-trailer. It is available for 43.5 m³ liquid transportation. Main components: FuWa axle (Chinese brand) or BPW axle (German brand), JOST landing gear (American brand), JOST kingpin, Orient star valve (Chinese brand), WABCO ABS system (optional component). All of the parts can choose Chinese brand or famous brands from Germany, Japan, US or UK, just according to customer's requirement.	3-axle Tank semi-trailer for liquid transportation. Main Specification: <table> <tr> <td>Model No.</td><td>FCC9390GHY</td></tr> <tr> <td>External size(MM)</td><td>13000x2500x3850</td></tr> <tr> <td>External size of Tank(MM)</td><td>12700x2400x1900</td></tr> <tr> <td>Total weight(KG)</td><td>39400</td></tr> <tr> <td>Rated payload(KG)</td><td>29000</td></tr> <tr> <td>Tare weight (KG)</td><td>10400</td></tr> </table> Tyre and Axle Specification: <table> <tr> <td>Axle Number</td><td>3</td></tr> <tr> <td>Tyre Number</td><td>12</td></tr> <tr> <td>Tyre front/rear space</td><td>-/1840/1840/1840</td></tr> <tr> <td>Approach/Departure angle</td><td>-/14</td></tr> <tr> <td>Wheel base(MM)</td><td>7000+1320+1320</td></tr> <tr> <td>Axle Load (KG)</td><td>-/23900</td></tr> <tr> <td>Tyre Spec</td><td>11.00-20, 11.00R20 12.00-20, 12.00R20</td></tr> <tr> <td>Steel leaf spring number</td><td>-/8/8/8</td></tr> <tr> <td>Front/rear overhang</td><td>-/2180</td></tr> <tr> <td>Max king pin payloadKG</td><td>15500</td></tr> <tr> <td>VIN</td><td>LA9939MYXXXFCCXXX</td></tr> </table>	Model No.	FCC9390GHY	External size(MM)	13000x2500x3850	External size of Tank(MM)	12700x2400x1900	Total weight(KG)	39400	Rated payload(KG)	29000	Tare weight (KG)	10400	Axle Number	3	Tyre Number	12	Tyre front/rear space	-/1840/1840/1840	Approach/Departure angle	-/14	Wheel base(MM)	7000+1320+1320	Axle Load (KG)	-/23900	Tyre Spec	11.00-20, 11.00R20 12.00-20, 12.00R20	Steel leaf spring number	-/8/8/8	Front/rear overhang	-/2180	Max king pin payloadKG	15500	VIN	LA9939MYXXXFCCXXX
Model No.	FCC9390GHY																																		
External size(MM)	13000x2500x3850																																		
External size of Tank(MM)	12700x2400x1900																																		
Total weight(KG)	39400																																		
Rated payload(KG)	29000																																		
Tare weight (KG)	10400																																		
Axle Number	3																																		
Tyre Number	12																																		
Tyre front/rear space	-/1840/1840/1840																																		
Approach/Departure angle	-/14																																		
Wheel base(MM)	7000+1320+1320																																		
Axle Load (KG)	-/23900																																		
Tyre Spec	11.00-20, 11.00R20 12.00-20, 12.00R20																																		
Steel leaf spring number	-/8/8/8																																		
Front/rear overhang	-/2180																																		
Max king pin payloadKG	15500																																		
VIN	LA9939MYXXXFCCXXX																																		



常春宇创

Fujian Changchun Automobile Manufacture Co.,Ltd

ADD: Binhai Industrial Zone, Fuzhou, Fujian, China

TEL: +86-591-28703888

FAX: +86-591-28703239

WEB: www.fjchangchun.com EMAIL: fjchangchunauto@gmail.com

Picture



This product is a full seal container for shipping cargo, we can manufacture customization specification and accessories, just according to customer's requirement.

Product Detail

Full seal or semi-seal container for shipping cargo

Standard shipping container:

20R: 6058X2438X2591MM

40R: 12190X2438X2591MM

40HR: 12192X2896X2591MM

45R: 13710X2438X2591MM

48R: 14660X2438X2591MM

53R: 16170X2438X2591MM

We can make special specification, just like less than 20R or more than 40R.

Refrigerated Container, insulated container, also be okay.

We also sales second-hand shipping container, like 20' and 40' .